

Compatible 1G Single-Fiber Bidirectional Danish Supplier



Overview

The TSF087-BxxC-SO is a bi-directional transceiver solution operating directly on a single-fiber without the need for a separate optical filter. BiDi single-mode SFP optical module, 1Gb speed, LC simplex connector, 40 km range, laser Tx:1550nm Rx:1310nm. If you are ordering inserts for several device models, describe how many pieces and for which model. The Fortinet-compatible SFP transceiver provides up to 20km of 1000Base-BX throughput over single-mode fibre (SMF) using 1490nm-TX/1310nm-RX wavelengths via LC simplex connectors. This. Compatible 1G BiDi SFP Transceivers | Single-Fiber Bidirectional | Optimal Fiber Cost Solution We specialize in high-quality 1G BiDi SFP transceivers fully compatible with Cisco, Huawei, H3C and other major brands. Power Consumption CLASS 1 LASER PRODUCT, IEC/EN 60825-1:2014 Do not look into the ends of the fiber optic cable or SFP module while converters are. The 1. The sending wavelength is 1550nm, the receiving wavelength is 1490nm.



Article Content

1G BiDi SFP | Syrotech

Our 1G BiDi SFP transceivers enable full-duplex communication over a single fiber, reducing fiber usage while maintaining reliable performance. Ideal for enterprise networks, data centers, and telecom ...

1G BiDi SFP Transceivers | Optimal Fiber Cost Solution

We specialize in high-quality 1G BiDi SFP transceivers fully compatible with Cisco, Huawei, H3C and other major brands. Strict OUI code matching ensures 100% compatibility.

Fortinet Compatible 1000BASE-BX-D SFP BiDi 1490nm-TX/1310nm ...

The Fortinet-compatible SFP transceiver provides up to 20km of 1000Base-BX throughput over single-mode fibre (SMF) using 1490nm-TX/1310nm-RX wavelengths via LC simplex connectors. This bi ...

1G Bidirectional Single-Mode Optical Module

SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector.

1G SFP Transceivers and Cables

To further enhance deployment flexibility and fiber resource utilization, NADDOD also provides 1G BIDI SFP transceivers for bidirectional communication over a single fiber.

SFP 1G BiDi 40km

The TSF087-BxxC-SO is a bi-directional transceiver solution operating directly on a single-fiber without the need for a separate optical filter. This is achieved by having two transceivers that inject different ...

SFP BiDi 1000BASE-BX 1.25Gbps Tx1550nm/ Rx1310nm LC SMF ...

The 1000Base-BX SFP optical module is designed for data transmission using a single single-mode (SM) fiber. It transmits data at speeds of up to 1.25 Gbps, over distances of up to 40 km.

1G BIDI SFP Modules | BIDI (Bi-directional) SFP

FiberWeek's 1G BiDi SFP Transceiver enables bi-directional communication on a single fiber with WDM technology. Ideal for passive optical networks (PON) and P2P (point-to-point) connection.

Cisco GLC-BX-D-80 compatible SFP 1G Singlemode BiDi 80km

Compatible Bi-directional Single-mode 1550/1490nm 80km SFP Transceiver for Gigabit Ethernet. This SFP transceiver module sends and receives its data on two different wavelengths over one single ...

1G SFP BXD Bi-Directional, Tx1550/Rx1490nm, 120km, DDM, ...

The Miljet MJ-SFPGE-BXD-120, SFP 1000BASE-BX transceiver uses a DFB laser with ADP Photo-Diode Receiver with a longer wavelength combined at 1550nm/1490nm for Single Mode fiber (SMF), ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.budowasilesia.pl>

Email: contact@budowasilesia.pl

Phone: +48 537 192 846

Address: ul. Chorzowska 45, 40-001 Katowice, Silesian Voivodeship, Poland

This document is for informational purposes only. Specifications subject to change without notice.

