

Egypt requests price quote for a 1 6T optical transmitter



Overview

Request a quote or contact our optical team today. 6T/800G InfiniBand XDR solutions, which combine transceivers with cables. 6T 2xDR4 and 2xFR4 OSFP224 transceivers in IHS and RHS versions, 800G DR4 OSFP224 transceivers in RHS version, and original NVIDIA transceivers (MMS4A00-XM, MMS4A20-XM800). Estimated delivery time : 3-5 working days. 6T OSFP-XD DR8 PAM4 Optical Transceiver Module (1311nm MTP/MPO-16 SMF 2km) Excellent quality is the foundation of FiberMall's survival and development. Our operation team are experts with many years' experience in the optical communication. HIGH-SPEED OSFP TRANSCEIVER FOR 800G/1. 6T WITH 200G PER LANE Amphenol's 200G/lane optical modules support DR4, FR4, 2xDR4, 2xFR4, AOC, and breakout AOC configurations with LC or MPO ports, ideal for 800G/1. Fully compliant with OSFP MSA, IEEE 802. 6TB-DR8 is a cost-effective, high-performance OSFP module tailored for AI datacenter applications, delivering an aggregate throughput of 1.6 Tb/s via eight channels of 212 Gb/s PAM4 on both its optical and electrical interfaces.

Article Content

1.6T OSFP 2xDR4/DR8, 1310nm, 500m, DDM, CDR, ...

The MJ-OSFP1.6TB-DR8 is a cost-effective, high-performance OSFP module ...

1.6T/800G InfiniBand XDR Transceivers/DACs In Stock NADDOD

NADDOD offers 1.6T/800G InfiniBand XDR solutions, which combine transceivers with cables. The transceiver portfolio includes 1.6T 2xDR4 and 2xFR4 OSFP224 transceivers in IHS and RHS ...

1600G OSFP1600 2xDR4 500M 1.6T Optical Transceiver

The 1600G OSFP1600 2xDR4 Transceiver is designed to transmit and receive serial optical data links up to 212.5 Gbps data rate (per channel) by PAM4 modulation format over single-mode fiber. It is a ...

1.6T Product Aperion Technologies LLC. Aperion

It is a small-form-factor hot pluggable transceiver module integrated with high performance Siphon modulator. It is compliant with 1600G Ethernet specs and OSFP MSA.

POET Teralight 1.6T Optical Engines

The Teralight transmit optical engine incorporates 2x200G EML lasers from Mitsubishi Electric, enabling a 1.6T engine with only four laser chips instead of the conventional eight-laser alternative.

1.6T OSFP224 Optical Transceiver Modules | AscentOptics

We offer DR8, DR8+, and 2xFR4 interfaces. Our vertically integrated optical engines ensure top performance and power efficiency. OSFP224 1.6T transceivers support CMIS 5.0+, with DR8, DR8+, ...

1.6T OSFP-XD DR8 MPO-16 Optical Transceiver

FiberMall OSFP-XD-1.6T DR8 transceiver is a high-performance optical module ...

1.6T-DR8 - 1.6T OSFP224 500m Transceiver

Need a Quote or Sample? This module is available in volume or with custom tuning.
Request a quote or contact our optical team today. sales@swedishtelecomopto .

1.6T OSFP-XD DR8 MPO-16 Optical Transceiver | FiberMall

FiberMall OSFP-XD-1.6T DR8 transceiver is a high-performance optical module with a maximum transmission distance of 2 km, suitable for high-bandwidth requirements.

1.6T OSFP Transceivers | Optical Transceivers | Amphenol

Amphenol's 1.6T OSFP transceiver delivers 200G per lane to support advanced 800G and 1.6T Ethernet applications, enabling high-speed, high-density optical connectivity.

800G and 1.6 T Optical Transceivers Market's Tech Revolution ...

The 800G and 1.6T optical transceiver market is experiencing robust expansion, fueled by escalating bandwidth demands across data centers and telecommunication networks.

1.6T OSFP 2xDR4/DR8, 1310nm, 500m, DDM, CDR, Dual MPO/APC ...

The MJ-OSFP1.6TB-DR8 is a cost-effective, high-performance OSFP module tailored for AI datacenter applications, delivering an aggregate throughput of 1.6 Tb/s via eight channels of 212 Gb/s PAM4 on ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.budowasilesia.pl>

Email: contact@budowasilesia.pl

Phone: +48 537 192 846

Address: ul. Chorzowska 45, 40-001 Katowice, Silesian Voivodeship, Poland

This document is for informational purposes only. Specifications subject to change without notice.

