

High-density 19-inch chassis 1000mm depth in stock



Overview

This 19" Server Rack measures 37U and has got a depth of 1000mm. The server rack is provided with two doors, tempered glass, adjustable rack rail depth, removable side panels, a hinged frame construction and cable knockouts on the front and back as well as on top. It's. Arion 42U 19 inch premium UL listed 3,000 lbs rated server cabinets are for all IT environments and data centers. Vendor neutral and supports all 19 inch standard equipment. This 19". Q1: What is the difference between static load and dynamic load capacity for this cabinet?

A: Static load capacity refers to the maximum weight (>800kg for this model) the cabinet can support when it is stationary and fixed on leveling feet. The Commercial Series. 19" Rack from the high-quality RackMatic MobiRack range. Compatible with ANSI/EIA RS-310-D, IEC60297-2, DIN41494 (PART1) and DIN41494 (PART7) standards.



Article Content

ARION 19inch Rack server 42U 600×1000 mm. High Quality Standard ...

High density perforated lift off doors with contoured front and split rear provide over 80% open area, are reversible and lockable. Half height lockable side panels are easy to handle and secure.

TS IT Rack Guide Specifications

7.2 universal mounting rails support installation of industry standard 19" rack mount server, network and electronic components, infinitely depth variable attached to depth stays.

19" Rackmount Chassis for VPX, VME | Elma Electronic

High quality 19" rackmount chassis platform consisting of pre-galvanized steel enclosures, PICMIG 2.16 or 2.17 backplane, power supply, redundant push/pull cooling system and AC/DC power components.

Server rack cabinet 19 inch 24U 600x1000x1200mm floor standing MobiRac

Professional performance, suitable for server room setups using 19" ...

24U Floor Standing Server Rack Cabinet

With a 19 inch rackmount and a generous 600mm width x 1000mm depth (24"x40"), this modular rack is ideal for housing a variety of network equipment, servers, AV devices, and other IT components.

42U Server Rack Cabinet, 1000mm depth, Glass Front ...

The L-com LC42USRC1000GDFRFC 42U commercial network server cabinet has ...

19" Server Rack 37U, 1000mm deep

This 19" Server Rack measures 37U and has got a depth of 1000mm. The server ...

42U Server Rack Cabinet, 1000mm depth, Glass Front Door and Perf.

The L-com LC42USRC1000GDFRFC 42U commercial network server cabinet has the capacity and quality needed to complete your high-density applications that rack and store a variety of 19-inch ...

18u 19 Inch Network Server Rack Cabinet 1000mm Deep Glass Door ...

A: This is a standard 19-inch network cabinet, compatible with all EIA-310 standard rack-mount equipment (servers, switches, UPS, patch panels). Please check your equipment depth; we offer ...

Server rack cabinet 19 inch 24U 600x1000x1200mm floor standing ...

Professional performance, suitable for server room setups using 19" racks, as they allow for side connections. Optimizes IT infrastructure by centralizing devices such as switches, routers, power ...

Safewell 19 inch 42U 1000mm Depth Standing Server ...

Safewell 19 inch 42U 1000mm Depth Standing Server Rack network Cabinets with high quality Price in China Network Cabinets suppliers

NavePoint 42U Server Rack Cabinet, 1000mm depth, Cable ...

The 42U NavePoint Commercial Series network server cabinets have capacity and quality --everything it takes to get the job done right for your high-density applications that rack and store a range of 19 ...

19" Server Rack 37U, 1000mm deep

This 19" Server Rack measures 37U and has got a depth of 1000mm. The server rack is provided with two doors, tempered glass, adjustable rack rail depth, removable side panels, a hinged frame ...

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.budowasilesia.pl>

Email: contact@budowasilesia.pl

Phone: +48 537 192 846

Address: ul. Chorzowska 45, 40-001 Katowice, Silesian Voivodeship, Poland

This document is for informational purposes only. Specifications subject to change without notice.

