


Single-input single-output optical cable connector package



Overview

With the High-Performance Tool Kit, LC, SC, or ST® connectors install in just 50 seconds to one minute. The cleaver's dual-clamp design and the tool's go/no-go feedback confirm proper. 1. Characteristics: The use of copper nickel-plated conductor + PVC insulation + pure copper core, OD using about 5mm or so. Planar lightwave circuit (PLC) splitter is a type of optical power management device that is fabricated using silica optical waveguide technology to distribute optical signals from Central Office (CO) to multiple premise locations. Blockless PLC splitter has stronger fiber protection than bare. Explore our range of single mode fiber connectors and fiber connections at CommScope. Featuring low insertion loss, wide operating wavelength (1260–1650nm), and excellent reliability, it's ideal for FTTH, CATV, and PON applications. Please modify your search so that it will return results. To use the less than or greater than function, please select a value.



Article Content

1x2 FBT Splitter, Singlemode, 2.0mm Cable SC Connector

The 1x2 configuration consists of one input and two output ports, making it ideal for point-to-multipoint applications such as distributing a single optical signal to multiple endpoints or monitoring systems.

Singlemode Fiber Optic Transmitters, Receivers, Transceivers

Mouser offers inventory, pricing, & datasheets for Singlemode Fiber Optic Transmitters, Receivers, Transceivers.

Fiber Optic Connectors and Adapters

Industry-standard LC Connectors, Adapters and Cable Assemblies from Molex include multi-port and single adapters ideal for high-density network connections.

1 x 2 PLC Fiber Splitter, Mini Module Single-mode, SC/APC

Optical splitter has played an important role in passive optical networks (like EPON, GPON, BPON, FTTX, FTTH, etc.) by allowing a single PON Interface to be shared among many subscribers.

Fiber Adapters & Connectors

Explore our range of single mode fiber connectors and fiber connections at CommScope. Our high-quality MPO connectors ensure reliable and efficient data transmission.

3-Pack 18AWG DC 5.5mm x 2.1mm 12V/24V DC Power Splitter Cable ...

This 1 to 2 5.5mm x 2.1mm DC splitter cable allows powering two low-voltage devices with just one power adapter. Avoid Soldering with easy-plug 2.1x5.5mm DC Jack connector, compatible with ...

UniCam® Connectors ST® compatible, Single-mode (OS2), Amber

Using precision mechanical splice tech, UniCam enables quick, cost-effective fiber installations. With the High-Performance Tool Kit, LC, SC, or ST® connectors install in just 50 seconds to one minute. The ...

Single Terminus (ST) Connectors

OCC's ruggedized ST connector and ST adapter products represent one of the best single-fiber connection systems available to industries where the ability to withstand extreme temperature ...

Customized 1x2 Singlemode DWC Fiber Optic Coupler

Fibertronics, Inc. offers customizable fiber optic couplers with various sizes & split ratios. Couplers enable travel of light waves through multiple paths.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.budowasilesia.pl>

Email: contact@budowasilesia.pl

Phone: +48 537 192 846

Address: ul. Chorzowska 45, 40-001 Katowice, Silesian Voivodeship, Poland

This document is for informational purposes only. Specifications subject to change without notice.

